






## Set-up of remote PC for accessing iSite Enterprise

### General Notes:

- 1) Windows Vista is not a supported Windows Operating System at this point in time.
- 2) The application is only supported in Internet Explorer 5.5 or better (but not Internet Explorer 7 – may have issues viewing reports).
- 3) The application is only supported in Internet Explorer 5.5 or better (but not Internet Explorer 7 – may have issues viewing reports).
- 4) All Pop-Up blockers must be disabled in Internet Explorer (Tools – Popup Blocker – Turn off Popup Blocker)
- 5) Ensure that Active-X Controls are enabled or at least Prompt the user (Tools – Internet Options – Security Tab – Internet zone – Custom Level).




- 6) On the LAN connection of the PC, you will need to disable the Firewall. To do this, go to the Properties – click the Advanced Tab – click the Settings of the Network connection. Turn off the Firewall. If you do not do this, then the application will not run correctly.




## Connecting to Chatswood Diagnostic Centre iSite Enterprise:

- 1) Open up Internet Explorer (after performing above tasks)
- 2) In the Address bar enter the following address:  
<http://202.4.74.226/NAT/>
- 3) You may get a number of pop-ups asking if you want to download the Active-X controller or if you want to Install the Active-X controller – always say Yes or Install (depending on the pop-up). You may also experience a pop-up saying that the Active-X Controller is signed by Stentor (an unknown signature) – always say Trust. The pop-ups you experience could vary depending on the version of Internet Explorer being used and the security settings on the PC.
- 4) Please be patient while downloading and installing the Active-X component. It could take anywhere between 10 – 20 minutes to download (this will depend on the connection speed to the internet – this is beyond the control of Philips or iSite).
- 5) Once you get the logon screen, ensure that you get drop-down boxes in the last 2 fields on the logon screen. If you do not get any values in the drop-down boxes, it means that the Port Numbers listed above are not opened on the firewall.



- 6) As the PC is remote to the server, ensure that you select the "Workstation Location" as DSL or ISDN (from the list in the drop-down menu – as shown above and below).



- 7) Enter the Username and Password and ensure that the iSite value is shown in the 3<sup>rd</sup> field.
- 8) When the user logs into the system, they will be presented with a notification telling them that they will be receiving “Compressed” images (this assists with the speed of image transfer). If they require the Full Fidelity image, they can simply right-mouse click on the image and then select the Full Fidelity option in the menu bar.

